

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: April 7, 1997
Date Received: April 3, 1997
Project: Metro Self Monitor, PO #56763
Date Samples Extracted: April 3, 1997
Date Extracts Analyzed: April 3, 1997

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL, AND ZINC
USING METHOD 6010**

Samples Processed Using Method 3005A
Results Reported as mg/L (ppm)

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M56763	0.95	0.76	1.1	0.08
Method Blank	<0.05	<0.05	<0.05	<0.05

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: April 7, 1997

Date Received: April 3, 1997

Project: Metro Self Monitor, PO #56763

**QUALITY ASSURANCE RESULTS
FOR TOTAL METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
(METHOD 6010)**

Laboratory Code: 76910 (Duplicate)

<u>Analyte:</u>	<u>Reporting Units</u>	<u>Sample Result</u>	<u>Duplicate Result</u>	<u>Relative Percent Difference</u>	<u>Acceptance Criteria</u>
Chromium	mg/L (ppm)	<0.05	<0.05	nm	0-20
Copper	mg/L (ppm)	<0.05	<0.05	nm	0-20
Nickel	mg/L (ppm)	<0.05	<0.05	nm	0-20
Zinc	mg/L (ppm)	<0.05	<0.05	nm	0-20

Laboratory Code: 76910 (Matrix Spike)

<u>Analyte:</u>	<u>Reporting Units</u>	<u>Spike Level</u>	<u>Sample Result</u>	<u>% Recovery</u>		<u>Acceptance Criteria</u>	<u>Relative Percent Difference</u>
				<u>MS</u>	<u>MSD</u>		
Chromium	mg/L (ppm)	5	<0.05	103	103	80-120	0
Copper	mg/L (ppm)	5	<0.05	103	103	80-120	0
Nickel	mg/L (ppm)	10	<0.05	103	102	80-120	1
Zinc	mg/L (ppm)	5	<0.05	101	102	80-120	1

Laboratory Code: Spike Blank

<u>Analyte:</u>	<u>Reporting Units</u>	<u>Spike Level</u>	<u>% Recovery</u>		<u>Acceptance Criteria</u>	<u>Relative Percent Difference</u>
			<u>MS</u>	<u>MSD</u>		
Chromium	mg/L (ppm)	5	110	113	80-120	3
Copper	mg/L (ppm)	5	112	113	80-120	1
Nickel	mg/L (ppm)	10	109	112	80-120	3
Zinc	mg/L (ppm)	5	106	110	80-120	4

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Beth M. Albertson, M.S.
Bradley T. Benson
Kelley Wilt

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044

April 7, 1997

**INVOICE # 97ACU0407-1
DUPLICATE COPY**

Accounts Payable
Alaskan Copper Works
628 South Hanford St.
Seattle, WA 98134

RE: Project Metro Self Monitor, PO #56763: Results of testing requested by
Gerry Thompson, Project Manager for material submitted on April 3, 1997.

1 water sample analyzed for
Chromium, Copper, Nickel, and Zinc
using Method 6010 @ \$65 per sample

\$ 65.00

Amount Due

\$ 65.00

FEDERAL TAX ID #(b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Beth M. Albertson, M.S.
Bradley T. Benson
Kelley Wilt

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044

April 7, 1997

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford St.
Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on April 3, 1997 from your Metro Self Monitor, PO #56763 project.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Kurt Johnson
Chemist

keh
Enclosures
ACU0407R.DOC